## PROJECT 10073 RECORD CARD

١.	DATE	2. LOCATION		12. CONCLUSIONS
	DATE-TIME GROUP  Local_1827  GMT 19/0127Z  PHOTOS  Dives  RONelloge rec'd	9 Mi W of Bens 4. TYPE OF OBSERVATION  DOGround-Visual  D Air-Visual  6. SOURCE  Civilian		Was Balloon Probably Balloon Possibly Balloon Was Aircraft Probably Aircraft Possibly Aircraft Was Astronomical Probably Astronomical Possibly Astronomical Possibly Astronomical
7.	LENGTH OF OBSERVATION	8. NUMBER OF OBJECTS	9. COURSE	oxother artificial meteo
	6 minutes	one	NNW	Insufficient Data for Evaluation Unknown
70.	A group of civilians he camera to view and photographical Russian satellite. Satisfied, but a bright over SE horizon and tracross the sky disapped NNW horizon. The object than any star, but less venus. The light exhibits he giving the impreflected sunlight. The reflected sunlight.	and set up a stograph expected cellite was not object appeared caveled rapidly earing over the st was brighter as bright than oited a yellow-	atmosphere 35 and 50	time artificial meteors shot into the upper to haights of between miles at which heights d brightly enough to aphed.

ATIC FORM 329 (REV 26 SEP 52)

## ESTIMATE OF HEIGHT

A simple calculation will yield the minimum height of an object over our location to reflect sunlight at 1827. Local sunset occurred at 1749. We first saw the unknown object thirty-eight minutes after sunset.

The circumference of the earth at the equator is approximately

2TT × 4000 = 25,133=:.


At latitude 32° this becomes:

25;133 cos 32° 21,313 mi.

The speed of rotation of the earth at our latitude is:

Thirty-eight minutes after sunset, the earth has traveled:

Assuming parallel light rays arriving from the sun, the following diagram may be constructed:



The direls represents the 32nd parallel, viewed from the top (north).
Assuming triangle A B D is a right triangle, the angle of is:

We may now calculate the hypotemuse A C of triangle A B C:


Since line A D is 1000 mi, line C D is 39.3 mi. This is the minimum height of the object above the earth.


This calculation is based on an object directly over our location and reflecting the sum's rays thirty-eight minutes after sunset. This is a considerable simplification of the actual case. If the diffraction of the sum's rays by our atmosphere causes sunset to occur three minutes late (at 1752), then the distance C D is reduced to about thirty-five miles. However, the object was to the east of our location when seen at 1827, therefore the minimum height for reflection of sunlight should be increased. The above calculation was intended only to give a rough estimate of the heights involved, and M. I. A. I.

The absolute minimum height appears to be 39.3 miles

33


2 - Lee A.C.G's analyzers -2 - Rept to Dr. Hynell datal June 9, 1958





#2. Middle or sky

5 Superimposed IN HANdle OF big dipper - NNW SKY



WASHINGTON 25, D. C.

# NATIONAL ACADEMY OF SCIENCES NATIONAL RESEARCH COUNCIL

OF THE UNITED STATES OF AMERICA

UNITED STATES NATIONAL COMMITTEE .
INTERNATIONAL GEOPHYSICAL YEAR 1957-58

May 27, 1958

Mr. Assistant Director
Research and Davelopment
Collins Radio Company
Cadar Rapids, Towa

Dear Mr.

Your letter of April 24, 1958 to Dr. has been passed on to this office. We have read with interest the detailed report on the October 19, 1958 sighting of an unidentified object and we are forwarding copies of this report to the Smithsonian Astrophysical Observatory and the Department of Defense. As the report indicated, it does not appear likely that the object was associated with Sputnik I. However, the Smithsonian Astrophysical Observatory is engaged in meteor research as well as satellite tracking and will undoubtedly be glad to receive this information.

Thank you.

Sincerely yours,

USNC-ICX Earth Satellite Office

cc: Dr. SAO

Hajor Eugene E. Duff, AFCRC

Dr. W. H. Pickering, JPL

# Meteors Held Prelude Of Rockets to Moon

# Launching First Apparent Breakthrough Into Space

HANSCOM AIR FORCE BASE, Mass., Nov. 23-(UP) -An Air Force scientist said today that the successful launching of artificial meteors into interplanetary space "undoubtedly" prepares the way for a rocket to the moon.

sical Research directorate of the pellets. Air Force Cambridge Research The pellet experiment "should center, said that by using a tech- also prove very useful as a tool nique similar to that employed for controlled experiments in the to hurl the meteors into space, physics of the upper atmosscientists "could hit the moon." phere," Dubin said.

He said such a moon rocket would travel under conditions similar to those through which the artificial meteorites broke out of the earth's gravitational pull.

HE SAID the rocket would take about 10 hours to travel the 250,-000-mile distance to the earth's closest space neighbor since gravity would exert a greater

Maurice Dubin of the Geophy-Fforce on the rocket than on the

Last night scientists said the artificial meteorites blasted into space from over the New Mexico desert have "unquestionably" escaped into interplanetary areas.


Dubin said the 40,000-mile-anhour speed on the ball bearing sized pellets broke through the earth's gravitational pull and are possibly being drawn into the orbit of the sun.

THE SPACE experiment, which began Oct. 16, at the Holloman Air Force base at Alamogordo, N. M., was believed to be man's first penetration into interplanetary space. The initial announcement of the project was made here yesterday.

Dubin said that only two of the original pellets were tracked and scientists "had no control of what direction the pellets would take after the explosion. It was indicated that as many as 1000 pellets were used.

The launching was explained this way: A 1100-pound Aerobee rocket, in effect a three-stage rocket, carried a nose tip containing three "shaped charges" of aluminum pellets and explosives. The Aerobee automatically separated at the 35-mile point and the nose tip continued 19 more miles upwards where it exploded, blasting the aluminum pellets into space.

The blast of the "shaped



AEROBEE ROCKET 51 Miles Above Farth

teors were caught by the tracking cameras because they glowed due to the resistance of the atmosphere and the heat of the explosive charge.

He estimated the atmosphere at that altitude as approximately one one-hundred-thousandth of the air density at the surface of the earth.

#### Mt. Palomar Observes Blast

The brightness of the explosion was placed at minus 10 magnitude or more than 5,000 times brighter than the Soviet satellites which at their brightest rival the brightest stars.

The explosion was observed at Mt. Palomar about 600 miles away and even at that distance astronomers said it was brighter than any planet or star.

Dubin refused to comment when asked if the explosion in the night sky might have triggered numerous reports of bright objects seen in the Southwestern United State about that time.

Astronomers, however, discounted any connection. They pointed out that maximum radius for observing a meteorite after it hits the earth's atmosphere is only about 100 miles.

The experiment, Dubin said, was suggested by Prof. Fritz Zwicky of the California institute of technology and was first attempted in 1947 using German V-2 rockets.

man's met penetration into interplanetary space. The initial announcement of the project was made here yesterday. Dubin said that only two of the original pellets were tracked and scientists "had no control of what direction the pellets would take after the explosion. It was indicated that as many as 1000 AEROBEE ROCKET pellets were used. 51 Miles Above Farth The launching was explained this way: A 1100-pound Acrobee rocket, in 'effect a three-stage rocket, carried a nose tip containing three "shaped charges" of aluminum pellets and explosives. The Aerobee automatically separated at the 35-mile point and the nose tip continued 19 more miles upwards where it exploded, blasting the aluminum pellets into space. The blast of the "shaped charge" was very bright-5000 times brighter than the Soviet Sputniks and more brilliant than any star in the heavens, according to reports from observers at the Mt. Palomar observatory some 600 miles away. SCIENTISTS SAID that most of the "grape-shot" pellets probably burned up within the first halfmile of flight. But at least two of the meteorites definitely escaped the earth's gravity. The bright glow of these objects as they battled the forces of space enabled scientists to record the experiment on film with a ballistic camera. The Aerobee rocket, following the "shaped charge" by two or three miles, was undamaged by the explosion at the 54-mile point. It was recovered by scientists about 20 miles from the blasting lest area. Dubin said the rocket contained intact instruments which gave information on cosmic rays and also meteoric dust exsting naturally in the upper atmosphere. The experiment, which was suggested by Prof. F. Zwicky of the California Institute of Technology, was first attempted in 1947 using former German V-2 rockets. The Oct. 16 project, however, was the first successful attempt and followed a series of failures, scientists said.

19/01302 Repro No. - 10 51 Mutti SMITHSONIAN INSTITUTION 19 1ct 1558 ASTROPHYSICAL OBSERVATORY oTher SECTION OF UPPER ATMOSPHERE STUDIES (POSS ATTIFICIAL MeTeor) IGY OFFICAL SATELLITE TRACKING PROGRAM SO GARDEN STREET CAMBRIDGE 38. MASSACHUSETTS June 13, 1958 Cartain George T. Gregory Air Technical Threiligence Center Wright - Fatterson. 45 Base P. O. Box 9307 Dayton, Chio Dear Captain: The enclosed say be of interest to you! Ocrdially, Collen Hytek JAH: 1c Encls. Please return at early date:



# MEMO ROUTING SLIP

TO THE FOLLOWING IN ORDER INDICATED

NAM!	OR TITLE		INITIALS-DATE
1. D. J. A.	. Hyma	1	
2. Capt. Grego	rypl	ease return	when finishe
3. Sylandaria	<u> </u>	من کیات	Regardine e du pre Pier.
Your information	U	Note and ret	urn 🕑
Your comments		Proper signa	ture
Necessary action		Note and file	
Prepare reply		See me	
Your recommendation		Your initials	
REMARKS			
Have ma	عر عد	and of the	<u>'a a</u>
	on Sheets in	Eabal.	
Thanks for	c and	therations	الحوزود
Pron Chang.	مرابع		DATE  June 0/50  PHONE
	-		THE REAL PROPERTY.

. Dr. J.A. Hyrak.

UNITOWN PINCEL COURT FINE PORT TO A LINE A LINE AND ART LOVA.

Station Goordinates: 31 - 2005, 100 - 100 - 050 ...
Time: 15 October 1957. Fr. 17 to 1 ... 30 (= 19 Oct., Ol. 30 Tr)
Direction of Travel: Shelliw
Magnitude: Probably about -lear -2.
Angular Velocity: 0.3/sec.

Expected crossing of 1957 Alpha. It seems rather odd that these observers expected a prossing of 1957 Alpha on the evening of October 10, whereas this satellite was being observed by many stations in the mornings only around this date. But for Mr. A very definite mention of evenings (and his brightness comparison to Venus then in the evening sky) one might suspect a mix-up between MST and UT, and adding instead of subtracting. Seven hours from 1851; (the time they expected Alpha) gives 11.13 which was exactly the UT at which Alpha was seen in New Mexico and at several other stations in the south.

The actual observation: If the same time correction were applied, the observation of their unknown object would coincide exactly with an analdentified object sighted at directly. Texas, on Octale, at 11.26 UT. (15.27 minus? mours), but object in latter case was very faint (+6). If time is right, nowever, the Benson object is not associated with other hypothetically-linked objects on nearby October dates.

### Identification Possibilities.

Meteor? This was about the time for prionid meteors. The behave object appears too slow. Jould not such objects as this be large meteorites which have been slowed down by previously "akinging" through our atmosphere.

Artificial Satelliter Seposite direction of travel.

Artificial Meteor? Around this time (Oct. 16 %) artificial meteors were being shot into the epper atmosphere to heights of between 35 and 50 miles at which heights they glowed brightly mough to be photographed by the Air Force Missile Development Jentre at Alamogordo, N.M. Firing point is not clear, but they would probably have to be fired from the extreme south of Texas to take the direction of the object seen at Senson. Benson's height of about 40 miles would agree with this.

Plane? Suggest the prints be examined with a high power Magnifying glass. Suspect trail may consist of two trails very close together, one very faint (suggesting plane's wing light).

A. B. G.



# MEMO ROUTING SLIP

TO THE FOLLOWING IN ORDER INDICATED

NAME OR TIT		L3-DATE
JAHARN	1 A	
Your information	Note and return	
Your comments	Proper signature	
Necessary action	Note and file	
Prepare reply	See me	
Your recommendation	Your initials	
REMARKS OAL.		William Co.
1 accum,	your and.	1
· · · · · · · · · · · · · · · · · · ·		Y 多次 100
1 61		A Paragraphic
- When		
Lary Lichen	ng leve!	
- 40 Fort	Jack in	Zim
TU,	DATE	
	PRONT	
	**************************************	
	מחתחת . חברה	
	Vivial de la companya del companya del companya de la companya de	

NATIONAL ACADEMY OF SCIENCES NATIONAL RESEARCH COUNCIL OF THE UNITED STATES OF AMERICA UNITED STATES NATIONAL COMMITTEE INTERNATIONAL CEOPHYSICAL YEAR 1957-58 May 27, 1958 Dr. F. L. Whipple, Director Smithsonian Astrophysical Observatory 60 Garden Street

Cambridge 38, Massachusetts

Dear Dr. Whipple:

Exclosed for your information is a detailed report of an October 18, 1957 sighting of an unidentified object. Similar information is being transmitted to Major Duff at AFCAC, except the prints, of which only ome set was available. Please pass these prints on to Major Duff if you have no need for them.

Sincerely yours,

L. M. Cornder USNC-IGI Earth Satellite Office

Inclosures

Dugme Rogert -COLLINS RADIO COMPANY Record ESO 5-19-58 CEDAR RAPIDS, 10WA, U.S.A. 24 April 1958 LNC - Achon Dr. William H. Pickering Director, Jet Propulsion Laboratories California Institute of Technology Pasadona, California Door Dr. Pickering: I me enclosing a draft copy of a report together with three photographs which support the nature of this report. The report, as you will note, concerns the sighting of an unidentified object on 18 October 1957. Though this report is several months old, it was not brought to my actemption until this month. In discussing it with Mr. Collins have in Cader Repids, be suggested that I seed it to you for your information. I understand from Mr. Molladay that he has forwarded a copy of this report to the interested parties at MADC in Dayton. In response to this, an Air Porce officer has visited our Tucson office and interviewed recit by the people who made the sighting. This report is forwarded to you in the form of a draft in order that it could be forwarded quickly. If further use of the report is desired. 40 2/1/58 we can supply it in finished form. I have furthermore promised the engineers involved that I would return the report to them and so would appreciate its return to me when you have finished with it. I would be very pleased to discuss this matter with you in more detail in the future if you desire. Wary truly yours, COLLINS RADIO COMPANY R. L. McCreary Assistant Director Rassarch and Dervalogumet. Codar Rapida Division

A REPORT ON THE SIGHTING OF UNIDENTIFIED OBJECT

Location: 9 mile west of Benson, Arizona
31° 57'33" N, 110° 25' 5" W

Date: 18 October 1957

7146: 1827-1833 MST

Obdervers — Alexandria de la companya del companya della companya

The above (except Mr. are, engineers asserting for the Broadway, Tueson.

## Observations:

On the evening of 18 October, our group was attempting to sight the Russian earth satellite, Southik I, or the third-stage rocket which accommanied the satellite in orbit. The satellite was scheduled to appear at 1839, and on this day the rocket was reported to be leading the satellite by twenty-six minutes. Thus, we expected that the rocket, if seen at all, would appear about 1813. A camera was set up to record what we saw.

The rocket was not seen at 1813, but we continued to watch the sky, and around 1827 a bright object appeared over the southeast horizon and traveled remidly across the sky, disappearing over the north-northwest horizon at about 1833. The object was brighter than any star in the sky, but less bright than the planet Venus was on that night. The light excibited a yellowish hue, and it was our coinion that it was reflected sumlight.

No intensity variations were observed. The object crossed our narallel of latitude somewhat east of us at an angle of roughly 45° relative to our location.

We later concluded that the object seen could not have been the satellite rocket, since the latter had a southwest-northeast orbit, while the object we saw traveled southeast—north-northwest. This object ammeared fourteen minutes after the rocket was expected and exhibited none of the variation in light intensity which has been reported for the rocket.

The satellite itself was not seen at 1839, but its radio signal on 20.005 me was heard from 1834 to 1845, beaking around 1839. The signal appeared again from 2002 to 2022, beaking around 2015. The difference in time of the two signal beaks is minety-six minutes, as expected. Thus, we believe that the satellite orbit information we had was correct.

The object we sighted has, so far, not been identified. Three photographs were taken, and these show clearly that what we saw was much too bright to have been sirolane lights. The pictures were time exposures taken with a h x 5 press camera mounted on a tripod. The exposure time was roughly five seconds, and the film was Royal Pan with an ASA speed of hOO. The details of each shot accompany the respective prints.

Why in

11-8-57