

Special Issue No. 3 September 1969 Eight Shillings



Watkins

Books of interest to Students of Flying Saucers

THE HUMANOIDS

Edited by Charles Bowen

30s

UNIDENTIFIED FLYING OBJECTS

by Robert Chapman

UNINVITED VISITORS

by Ivan T. Sanderson

THE TAMING OF THE THUNDERBOLTS

by C. Maxwell Cade & Delphine Davis

ANATOMY OF A PHENOMENON

By Jacques Vallée 25s.

THE SCORITON MYSTERY

by Eileen Buckle

THE FLYING SAUCER VISION

by John Michell

CHALLENGE TO SCIENCE

by Jacques & Janine Vallée

If ordering by post please add Is. 6d. for postage

JOHN M. WATKINS

21 CECIL COURT CHARING CROSS ROAD LONDON WC2 Special Notice . . .

THE HUMANOIDS

FSR Special issue No 1 is now sold out NEVERTHELESS, THIS REMARKABLE STUDY HAS NOW REAPPEARED IN A NEW AND ENLARGED HARD-COVER EDITION PUBLISHED BY . . .

NEVILLE SPEARMAN LTD.

112 Whitfield Street, London W1P 6DP

(see page 38)

LUMIÈRES DANS LA NUIT

Broaden your outlook by taking this interesting French Journal on UFOs.

Six issues a year, with or without supplementary pages. Also six optional 'Contact' issues per year.

For details, write to:

Monsieur R. Veillith
"Les Pins"

43-Le Chambon-sur-Lignon (Haute-Loire)

France

FLYING SAUCER REVIEW

SPECIAL ISSUE NO. 3

UFO PERCIPIENTS

Price 8s. 0d. (overseas 8s. 6d.; US\$1.10 plus \$1.00 by air)

Please address all letters to:

The Editor, Flying Saucer Review, 21 Cecil Court, Charing Cross Road, London WC2, England

Remittances to subscription address: 49a Kings Grove, Peckham, London SE15, England

Telephone: 01-639 0784

Remittances payable to "Flying Saucer Review"



ERCIPIENTS

Special Edition No. 3 August 1969

CONTENTS	3		
Introduction:: The U	Jnhapp	у	
Charles Bowen	••	• •	1
The Strange Case of	f Dr. "	X":	
Aimé Michel	•	• •	3
Some Uses of Hypr UFO Research		n	
Dr. R. Leo Sprinl	kle	••	17
Gary Wilcox and the	Ufonau	ıts:	
Dr. Berthold E. S	chwarz	٠.	20
The "One-eyed en			
Gordon Creighto	n	• •	28
UFOs and Parapsych	ology:		
H. S. W. Chibbet	t	• •	33
The Pirassununga L	anding	:	
Nigel Rimes		• 3	39

© Flying Saucer Review

Contributions appearing in this magazine do not necessarily reflect its policy and are published without prejudice

For subscription details and addresses please see foot of page ii of cover, and also notice on page 2

Edited by CHARLES BOWEN

Consultants

GORDON CREIGHTON, MA, FRAI, FRGS, FBIS C. MAXWELL CADE, AInstP, FRAS, AFRAeS, CEng, FIEE, FIERE BERNARD E. FINCH, MRCS, LRCP, DCh, FBIS CHARLES H. GIBBS-SMITH, MA, FMA, Hon Companion RAeS, FRSA PERCY HENNELL, FIBP R. H. B. WINDER, BSc, CEng, AMIMechE

Overseas AIMÉ MICHEL

Assistant Editor DAN LLOYD

An international journal devoted to the study of Unidentified Flying Objects

THE UNHAPPY COVER-UP

IN comment recently published in his Merseyside UFO Bulletin, John Harney drew his readers' attention to the fact that the current trend in UFO research is to concentrate on closer investigation of witnesses.

It is hardly surprising that this turn around is taking place, for it has become evident to some investigators that witnesses may have been affected in some way by their experiences, and, after all, a witness is a solid, tangible fact, present and generally available for inspection. Inevitably this is more than can be said for the objects, or the occupants—if any which witnesses claim to have seen. Too often in the past the tendency on the part of investigators has been to listen only to the things the witness says; to judge either yea or nay, and if yea, to compare what he says he saw with things in the records that other witnesses say they have seen. If what he says sounds ridiculous, then the testimony is dismissed as a hoax, and the witness discarded as "disreputable".

One of the pioneers in the art of protracted study of UFO witnesses is that doyen of European investigators, Aimé Michel, author of The Truth about Flying Saucers, and that fine study of the great 1954 wave, Flying Saucers and the Straight Line Mystery, of many articles in Planète and in this REVIEW, of which he is also an editorial consultant. It will have been evident to regular readers of this journal over the last few years that Monsieur Maurice Masse, the witness of Valensole, has been the subject of repeated, but quietly conducted investigations, and that he has been kept under surveillance by people living or working in his locality. The result: the revelation of a most interesting pattern of extraordinary behaviour by the witness since his sighting in July, 1965, and his alleged encounter with UFO entities.

It is fortunate that Valensole is well within the reach of so competent a researcher as Aimé Michel, aided so faithfully as he is by a reliable and highly qualified team of helpers. The difficulty that besets most others in the field is that they lack the time, the funds, and the helpers, and that the distance

to the site is too great.

However, as good as the Valensole investigations have been, the cry still goes up from the hearts of some of our more "senior" UFO investigators that the need is for a qualified and reliable "professional person" type of witness. I suppose there is something to be said in favour of such a witness, although the testimony of an "unqualified" person, couched in three and fiveletter words-with an occasional four-letter word-is no less likely to be true than that of a qualified person, especially if the unqualified person is a trained observer, like a policeman or a soldier. Again, there are some among us who are inclined to speculate that UFOs are solid objects encroaching on our air space, and touching down on our soil, apparently with the object of experimenting or practising with the control of human beings by some form of radiation by which "pictures" can be projected into their minds, and by which they can be hypnotised. If something of this kind is happening, then as I see it, it matters not one iota whether the witness is a physicist or a farm hand. It should all be "in the mind", whatever or whoever the witness happens to be.

Be that as it may, we have at last got our highly qualified witness: at least, Aimé Michel and his friends have got him—and they appear to have been making an awfully good job of their investigation. For six months I have been sitting on the side lines with mounting excitement, gathering in the snippets of information M. Michel has sent my way. And now, at last, we are able to prepare a new special issue which has been built around the remarkable case of the doctor in the South of France. Even while I write, the investigation goes on, with the full and willing co-operation of the doctor, and I understand some strange things have been revealed. The realisation is dawning that there may be found in the case of Dr. X possible corroboration of features in other major cases, even perhaps that of Betty and Barney Hill. I stress that these are my views, and not those of M. Michel.

The full story of the continuing psychiatric and hypnotic tests and investigations over and above those opening details of the case which are published in this issue, will be published by M. Michel in a book. This, he tells me, will only be done if he can find a way to protect the identity of the witness. And thereby hangs

another sad feature of UFO investigation.

That feature is, of course, the repeated and very necessary requests for anonymity by both witnesses and certain of the investigators. What a tragedy that this unhappy cover-up is necessary; necessary because both witnesses and investigators who are in the professions, or who hold other responsible positions, are afraid of the reaction of some of their colleagues, or superiors. Afraid that their professional standing or their reputation is at stake for daring, on the one hand, to admit to having had a UFO experience, or, on the other hand, to

wish to study this absorbing and persistent phenomenon.

FLYING SAUCER REVIEW will always respect requests for anonymity. Indeed, although we regret the necessity for the unhappy cover-up, we are thankful that at least there are some to whom Herbert Spencer's words do not apply:

"There is a principle which is a bar against all information, which is proof against all arguments, and which cannot fail to keep a man in everlasting ignorance—that principle is contempt prior to investigation."

* * * * *

Aimé Michel's excellent study is supported in this issue by a remarkable work by Dr. Berthold Schwarz, prepared specially for FSR. Also there is a discourse on the use of hypnotism in UFO investigation, by Dr. Leo Sprinkle, an interesting investigation by Nigel Rimes of a new case in Brazil, a paper on UFOs and parapsychology, by Harold Chibbett, the significance of which will not be missed.

I hope fervently that at least some of those who, in the past, have preferred contempt for this subject in place of sober, reasoned investigation, will learn the truth about UFO percipients like Dr. X, and decide that, after all, it might be more profitable to investigate than to condemn a subject about which they know nothing. And when the tide begins to turn, perhaps our qualified persons will be able to emerge from the toils of the unhappy cover-up that has so bedevilled UFO research throughout the years.

CHARLES BOWEN London, June 24, 1969

FLYING SAUCER REVIEW

is the world's leading magazine devoted to the study of the UFO phenomenon, and to the recording of the facts of that phenomenon.

Edited by Charles Bowen, FSR—as it is popularly known—is a quality letterpress production with an international flavour. Its contributors, who hail from countries all around the world, are household names in ufology.

Most of the contributors who have collaborated in our three special issues, **The Humanoids** (now out in book form, see p. 38), **Beyond Condon...** and **UFO Percipients**, write frequently for our regular bi-monthly FSR. If you have not already made the acquaintance of our regular magazine, then we suggest you hasten to write to our subscription department.

Articles in the September/October issue of 1969 include:

Healing from UFOs

The San José de Valderas Photographs

UFO Occupants: Fact or Fantasy?

Crypto-Sensory Response

(A new concept in parapsychology and exobiology)

The "Superior Technology": some generalities

Where there's smoke . . .

UFO below clouds over Chippenham

UFOs photographed over Tonbridge

Physical examination by Miniature "Martians"

Gordon Creighton

Antonio Ribera

Dr. Berthold Schwarz

C. Maxwell Cade

John A. Keel

John D. Llewellyn

Francis C. Carter

John Lade

Gordon Creighton

Enquiries regarding subscriptions (£1 10s. per annum U.K. and Ireland, £1 12s. overseas, or \$4.20) should be sent to:

FSR, 49a Kings Grove, Peckham, London SE15, England

THE STRANGE CASE OF DR "X"

Aimé Michel

Introduction

THE case which is related in part in these following pages is one of the most complicated and the best observed of all the cases of which French investigators have had knowledge over the course of the past 21 years. My analysis will however deal only with its presumed physical aspect—which is probably the least important. Indeed certain other aspects, more difficult to tackle, are still developing, and must be related later -at any rate if the investigators now working on them secure significant results.

I shall likewise omit the historical and geographical context: it is striking to observe that objects similar to the one described by "Dr. X" were seen in Spain on the same day and on the previous evening, and then again on December 7 in Morocco and on December 9 in Peru. Striking too is the fact that all these incidents should have occurred at the same time of the night. These similarities will not be examined in the present

article.

1. The Witnesses

(a) Dr. X holds an important official position in a town in the South-East of France and insists for this reason on remaining anonymous. He was born in 1930. University education (doctorate) and highly qualified in one of the fields of biology. A very talented musician (we shall see that this is not without importance). No knowledge of mathematics.

I have known Dr. X for a long time, having become a friend of his in a club where several childhood friends of mine are members. He is a sensitive person, discreet, very active intellectually, of the introverted type.

Evesight 10/10 in both eyes.

During the war in Algeria, he was blown up by a mine on May 13, 1958. In a coma for 24 hours: X-ray diagnosis: sub-dural haematoma of left occipital region, possibly with occipital fracture. Right hemiparesis (whole of right side) with paraesthesis, marked change in muscular tone, and intermittent crises of thoraxcurvature type. Is sent from hospital to hospital until October 1958. During this time he loses 20 kilos (from 70 kilos). After leaving the hospital, he slowly recovers his normal weight, but still has his right hemiparesis and a high degree of fatigability of the right side (arm and leg), upright standing position painful to him, and it is impossible for him to keep his balance on the right foot only. Likewise, tone of right hand altered, causing him, to his deep regret, almost to give up playing the piano. Married, father of a baby born on June 27, 1967.

On October 29, 1968, at about 2.00 p.m., Dr. X was trying to chop, with an axe, a stump of boxwood on his property, when an unfortunate slip by him caused the stump to strike the front edge of the left tibia, at a point 13 cms. above the inner ankle: superficial wound, but with a broken vein, leading immediately to the formation of a large haematoma, with swelling deforming the trouser-leg, intense pain, and he faints.

It is important to follow the development of this injury up to the night of the incident. Treated immediately with counter-inflammatories, antibiotics and analgesics, the swelling goes down or, to be more precise, it moves downwards towards the foot. Medically prescribed rest for four days with leg extended.

Wednesday, October 30, 1968: foot swollen, heavi-

ness, tingling sensations, general fatigue.

Thursday, October 31: Foot "like lead". Impossible to stand upright, shooting pains in foot, tingling sensations.

Friday, November 1: swelling going down, but same pain still. Cramps in calf.

Night of November 1/November 2 until 3.55 a.m.: No change.

(b) The child. Is the second witness, and interesting, in view of his age, 14 months at the time of the incident. Curiously precocious baby. Walked at 9 months and one week. First teeth at $3\frac{1}{2}$ months instead of 6 months. In advance of normal by six teeth. Overwhelming vitality, sleeps little, wakes up often and asks to be fed.

2. The Incident

(a) During the second part of the night of November 1-2, Dr. X, sleeping in room 1, is awakened by his son's calls (calls, not crying), in which he recognises the onomatopoeic sounds by which the baby designates everything shining—a sort of rho! rho! which I myself heard a few days later when the baby indicated to me the fire in the hearth.

Hearing his wife still sleeping, the doctor arises painfully without turning on the light, and crosses the corridor from room 1 to room 2. At the same time he becomes aware, though without paying attention to it, that a storm is about to break. He finds his son standing up in his cot and saying *rho! rho!* and pointing very

excitedly towards the window.

The shutters are of the solid kind and closed, but the chinks at the top and sides permit the doctor to see the intermittent light of what he at first takes to be flashes of lightning. Later, he recalls that the flashes were far more frequent than the thunderclaps, and were *periodic*, but at the time he pays no attention to this, his mind being occupied with the pain in his leg and with his desire to calm the child down as soon as possible so as to be able to get back to bed.

While he is switching on the light, he thinks that there is a mighty wind blowing above the house, while the rain whips against the walls, the tiles, and the shutters.

(b) He picks up the empty feeding-bottle from the baby's cot and goes into the bathroom (see sketch plan, figure 1, room 3) puts 40 grammes of water into it and comes back into room 2, gives it to the child to drink (the child at once becomes quiet), then he turns off the light, goes out, and shuts the door again, saying to himself that he had perhaps better go and see which is the badly-closed shutter that is being rattled by the wind.

He decides to go to it, turns on the light, and crosses the corridor to the living room (4), where all the sounds in the house can be heard; he turns on the light there, listens up the chimney-shaft, wondering if it is not a loose tile, and he finds that the noise is coming from the

upper storey, over the kitchen (5).

From the living-room a stairway leads up to a gallery which ends at room 6 above the kitchen. The doctor slowly climbs the stairs, reaches room 6 and for the first time sees the landscape outside, for here,

although the window is closed, the shutters are open and lying flat against the facade of the house.


He now discovers that the piece of open country overlooked by his house is lit up at regular intervals—with a periodicity of roughly about one second—by powerful flashes which illuminate the valley and the mountains beyond the river for a distance of 3 or 4 kilometres. The colour and the intensity of the light are like those of the full moon. At the same time, he realises that it is not lightning, for there is no longer any thunder at all. But the source of the light remains invisible. These flashes give him the impression of not being instantaneous, but of lasting a fraction of a second. In between the flashes, the darkness is total.

The rain is still pouring down. The doctor opens the window, and leans out to get hold of the shutters, and at the same time he tries to pinpoint the source of the light. The source is not to be seen, but the shadows cast indicate that the light is behind the house (i.e. towards the west), not very high, nor very low.

The doctor closes the shutters and goes down into the living-room (4) again, still suffering with his very painful leg, and from there he goes into the kitchen (5).

His attention and his curiosity are at this moment still only quite faintly aroused. He would like to know what those lights mean, but above all he wants to go back to bed and get to sleep again. However, he goes into the kitchen, the window (7) of which, having no shutters, looks out to the S.S.E., in the direction of the valley, and, so he thinks to himself, will perhaps enable him to see the light source which he could not see from room 6.

As he enters the kitchen, his glance falls first on the electric clock, which shows 3.55 a.m. (till this point he had not known what time it was). A movement which



Plan of House

he now makes shows how slight his curiosity still is: before walking over to the window, he opens the refrigerator, pours himself half a glass of cold water, and drinks it.

The scene that presents itself from the window (7) shows that the source of the light is still further to the right, for the corner (8) of the house is still hiding it. This light source must be quite local and not very far distant towards the West, for although the surrounding countryside is brightly lit up by the flashes for up to a distance of as much as several kilometres, the distant landscape, 10 kilometres off, remains in shadow. It is true that at this moment the rain is still beating down strongly.

So he returns to the living-room (4), still limping

painfully.

There, two double french-windows (9) and (10) open out towards the S.S.E. on to the terrace. Both these french-windows are closed, as are also their solid wooden shutters. The doctor approaches the french-window (10) and throws both sections wide open.

It is important to note that all these movements, from the moment when Dr. X left his son's room, have been performed in bright light. When he opens the double door onto the terrace, the latter is consequently visible from outside as a large illuminated rectangle.

Let us now pinpoint the precise position of the house since—for understandable reasons—the map of the district cannot be published.

Dr. X lives on the side of a quite steep hill which,

towards the south, from a height of several tens of metres, dominates a small plain several square kilometres in extent where, among the old farms scattered here and there, the buildings of the fast expanding nearby town are beginning to spring up. To the north the plain is dominated by the small ridge on which the doctor's place stands, and to the south it is dominated by the outlines of more complex hills rising higher and higher in several stages towards the S.S.W. To the West, the ridge on which the house stands widens out into foothills that descend towards the river and so delimit the plain on that side.

The photographs enable one to grasp this situation.

3. Beginning of the Sighting

The photographs will also enable one to understand the order in which the following occurrences took place. The photos were taken six days later from the exact spot where Dr. X was at 3.55 a.m. during that night of November 1-2, 1968. We will follow the precise order in which the events occurred.

So, Dr. X opens the double french-windows. The rain, which had still been pouring down when he was in the kitchen, has now stopped except for a few drops. The doctor is wearing pyjamas. Under the pyjama-top a singlet. The pyjama-top and the singlet reach to below his navel. He is bare-headed.

He at once looks to the right, and beholds there the scene shown in photo No. 1: two identical luminous



Photograph No. 1

objects, the one on the right seeming to be a little smaller and slightly above and behind the other one.

(a) Description of the Objects in the Position Shown in Photograph No. 1.

They give the witness the impression of being either two cigars or two circular objects seen in profile (at this stage he is unable to decide between these two hypotheses). Each object consists of two superimposed parts that are markedly symmetrical throughout their horizontal extent, the upper portion appearing perhaps to be thicker.

Colour of the upper part: a luminous silvery white, but much less so than the full Moon. Colour of the underpart: a deep sunset red, brighter at the top than at the bottom. No structure can be distinguished in either the white or the red portion. No variations either.

(b) The "Antennae".

At the moment corresponding to photograph No. 1, the witness can distinguish four of them (two on each object). To begin with, there are two vertical antennae of the same colour and the same luminosity as the upper parts of the objects. Length apparently equal to the thickness of the object. The bases of these two antennae are thickened.

The two other antennae, of the same colour and brightness, and apparently of the same length, are more slender and do not appear to be thickened out at the base. They are seen as a silhouette in the red portion of each object and extend beyond it slightly. Their bases are at the junction point where the red and the white parts meet. They are parallel and pointing slightly towards the left of the witness. At this moment only one horizontal "antenna" is visible on each object, any other possible "antennae" being hidden by the objects.

(c) The Beam of Light.

The lower centre part of each object is emitting a vertical cylindrical white shaft of light-brighter throughout its whole extent than the witness could have expected from a simple beam of light-which, as it passes through it, illuminates the thin storm mist hanging in the valley. The source of the two beams of light is not discernible. The foot of each beam plunges down behind the brow of the hill, beyond the little saddle lying to the right of the clump of trees. Neither of the tips of the light beams is therefore visible.

The two objects display in unison a cyclic luminous activity of a periodicity which is perceived to be about equal to one second. It begins with white flashes that give the witness the impression that they are "entering" through the external antennae, that is to say, via the two vertical antennae, the visible horizontal antennae of the left-hand object, and an invisible point situated behind the right-hand object, slightly to the left of, and below, the base of the vertical antenna. These "flashes", although brief, are not instantaneous.

At almost but not quite the same time, so the doctor thinks, another flash shoots out between the two objects, linking the tip of the horizontal antenna of the righthand object with an invisible point situated at the rear of the left-hand object and slightly to the right of the

base of the latter's vertical "antenna", and consequently corresponding precisely to the point, likewise invisible, whence shoots the previous flash on the righthand object. The witness says he felt a strong impression that the flash shooting out between the two objects "is a consequence" of the external flashes, as it were a repercussion from them. He feels also the impression that the illumination of the external flashes is not simultaneous along the whole of their length, but that it is propagated in a centripetal manner. He says: "It seemed to me that the two objects were sucking in the atmospheric electricity and that I could see it entering through the antennae and then exploding between the two objects, the whole thing producing one single glow of light."

The flashes, external as well as intermediary, are white, not dazzling, and are silent. The form they take is a slight prolongation of the antennae in a straight line, without any spreading, and with a slight trembling movement. Their intensity is the same as the intensity

of the vertical beams of light.

(e) Movement.

At the start of the sighting, the two objects are moving as one unit towards the left, at the same time approaching slightly nearer to the witness. We shall see further on that the investigation of this case has enabled us to establish precisely their actual speed and trajectory.

4. From Photograph No. 1 to Photograph No. 2

The two objects continue their movement in the same direction and at the same apparent speed. Their position in relation to each other undergoes a modification: the right-hand object emerges more and more from behind its companion. This movement, which is at first perhaps only an alteration in perspective, combined with the displacement towards the left, permits a second horizontal antenna, identical with the first, to appear on each object: Then the two objects perform a rotation on their axes, the two horizontal antennae projecting on either side of each object. The witness now discovers that the external horizontal antennae are performing, in their luminous activity, the same role of "absorption" as the inner antennae, exchanging the second flash of each cycle without it being possible to see any direction of propagation, and that the four horizontal antennae seem to lie on one single straight line, which appears to be parallel to the trajectory of the two objects.

We have seen that, at position 1, the spotlights at the tips of the light-beams were invisible. Suddenly, slightly before position 2, the spotlight of the left-hand beam begins to appear to right of the little white dot visible on the profile of the hill, but further off. At this moment the two objects perform a manoeuvre which eventually causes them to appear—as seen by the witness—to be side by side, of identical size, and presenting their

horizontal antennae symmetrically.

At the same time, the sources of the light-beams become visible on the under-surfaces of the objects: it is a sort of protuberance of the same red colour as the under-surface, but of a darker shade.

The under-surfaces of the objects still reveal no structure. The flashes continue to shoot out in the same way and in the same rhythm.



Photograph No. 2

5. From Photograph No. 2 to Photograph No. 3

The objects continue to move towards the left in the same relative position to each other, but their apparent size increases very perceptibly.

The spotlight of the left-hand beam has become very clearly visible, and the witness clearly follows its passage across the countryside, each flash fixing, as it were, a snapshot in his memory.

When the two objects arrive at a position slightly before the position of photo No. 3, the spotlights of the two light-beams become visible simultaneously. At this moment the two objects commence a new manoeuvre which consists in drawing near to each other. Whereas previously their relative distance from each other increased angularly like their angular dimension, the



Photograph No. 3

two spotlights, having become visible, begin to draw near to each other. This drawing nearer to each other is effected without cessation of either the movement towards the left or the angular enlargement or the luminous activity. Although the objects have increased considerably in size, Dr. X still perceives no structures. From position (2) onwards they are at the same height as he is. At (1) they seemed lower.

6. From Photograph No. 3 to Photograph No. 4

The left-hand movement continues at the same time as the increase in the size of the objects and their closer approach to each other. Following with his eye the spotlights of the beams on the countryside, Dr. X realises that the increase in size does in fact correspond to an approach in his direction, for they seem to be performing a great sweep towards their left. The flashes continue to shoot out, although the intermediary flash gets shorter and shorter. In the position shown on photo No. 4, the inner antennae are about to touch.

At this moment the witness observes that the spotlights of the beams are approaching each other, then they interpenetrate each other, and from here on they form only one spotlight. For a brief instant afterwards, or perhaps at the same time, the inner antennae touch,



Photograph No. 4



Photograph No. 5

and at once all the luminous activity ceases on all the antennae, which however remain luminous: darkness falls once more over the countryside.

7. From Photograph No. 4 to Photograph No. 5

Meanwhile the two objects continue to draw closer to each other. The inner antennae interpenetrate each other and then disappear entirely when the two objects come into contact. This contact is transformed, without discontinuity, into a progressive interpenetration or unification, while the leftward movement still continues and the spotlight shifts more and more towards the left, cutting obliquely towards the left from the trajectory and approaching the witness, and the object grows bigger (after No. 5) above the plain.

8. Photograph No. 6

There is now only one object, absolutely identical with the two antecedent objects except for one detail . . . at the precise moment of their complete unification, Dr. X sees for the first time "something that is moving" in the red (lower) portion of the object. At the same time, the leftward movement stops, and the object begins to come straight towards the witness, growing rapidly in size, while the light-beam cuts a straight path across the plain towards the house, and the moving structures of the red portion appear more and more clearly visible. The object grows in size until it is enormous.

9. Photograph No. 7

The object and the light-beam halt. The stationary beam illuminates a circular area bounded on the left by the ridge of the roof of the second house starting from the left, and bounded on the right by the edge of the roof of the next house. The sketch of the object has been made by the witness who however thinks that he has placed it too far to the left and much too low down (let us not forget that after photograph No. 4 the landscape had vanished in the darkness).

Around the light-beam, its light and the light from the object dimly light up the houses and the trees. Dr. X is able to see that the object extends across towards the left from the beam to the vicinity of the roof-top of the house on the left, and, to the right of the light-beam, to a bit below the house with the three small windows.

10. The Object

When it halts, the lateral antennae are seen as precise prolongations of the juncture-points of the two portions, upper and lower, "like a chicken on a spit". However, the witness has the impression that, right in front of him, the red (lower) portion is protuberant. The white upper part presents nothing singular as regards either colour or brightness. The upper antenna is merely an extension upwards.

The device from which the cylindrical light-beam



Photograph 6 (above) Photograph 7 (right)

shone out had the appearance of a ringed corona, on which Dr. X is able to count, bounded by black lines, six sections on the side that is visible. These sections appear with the distortion due to perspective, wide in the centre and narrowing towards the edges.

But it is the red (lower) part that presented the most impressive features. This part was also divided into "sections" but, it seems, in violation of the laws of perspective. Of the eleven visible sections five (the paired sections) were traversed from top to bottom in about four seconds by a dark horizontal line "like the lines that move across a TV screen when you are adjusting it". The moving line descending cyclically appeared like a maximum deepening of the colour, with shadingoff on each side. The witness was unable to detect any coordination between the respective movements of the five lines. It merely seemed to him that when one line was disappearing towards the bottom another one was appearing above. All the red portion of the object gave the impression of incandescent metal or of internal lighting.

Although all this animation of the red portion seems to have occurred in violation of the laws of perspective, the vertical bands were wider towards the centre, right opposite the witness.



11. The Spotlight

The activity in the red portion lasts for a period that the witness is unable to estimate subjectively, for he is obsessed with the movements of the horizontal lines (we shall see, further on, his replies to the questions I put to him afterwards). Meanwhile, after a period of time which seems long to him and during which the object remains totally immobile, he sees the spotlight move towards him, slowly at first, over a distance of a few metres, lighting up one by one the telephone poles and reaching the top pole. This movement of the spotlight was the result, not of the object's having come nearer, but of a rotation around the axis formed by the two horizontal antennae, which rotation dipped the upper part of the object towards the valley and revealed progressively more and more of the under-surface. Suddenly the rotation speeded up in an astonishing fashion, and the doctor received the light-beam, which shone all over him as well as probably over the whole front of the house. The total duration of the rotation was brief—of the order of a second. Meanwhile, the witness had sufficient time to observe the lower surface of the object, which appeared to be circular and divided into radial sections. He does not remember whether the movement of the lines was still visible in the sections. He had the impression that the corona from which the beam of light emerged was growing wider towards the periphery as the object tipped. During the tipping, the witness was frightened, and at the moment when the light-beam reached him he instinctively covered his face by a reflex action.

12. The Disappearance

At the moment when the object was presenting its under-surface vertically. there was heard the first sound during the whole of the sighting, namely a sort of "bang" while, according to the witness, "the object dematerialised", leaving behind nothing but its cloudy, whitish, fleecy shape which at once disintegrated and was borne away eastwards by the wind. At the same time (that is to say, at the same time as the "bang" and the apparent dematerialisation) there came, from the centre of the space occupied up till then by the object, a sort of very luminous, fine, white, straight thread, which shot out vertically in a fraction of a second towards the sky and vanished there, forming, apparently at a height of several hundred metres, a small white shining dot which itself then vanished with the noise of a firework.

13. The Shock

The darkness having returned to the valley, the witness experienced a nervous shock. Deeply shaken, he at once goes indoors and goes to the clock already mentioned, to see the time: it is 4.05 a.m. Ten minutes have thus elapsed since his first visit to the kitchen. He gets a notepad and writes down the details of his sighting, with sketches. Then he awakens his wife and

The name "UFO Percipients" was chosen as a title for this special issue of FSR following a suggestion by John A. Keel, in private correspondence, that UFO Percipient would be a better way of describing "contactees" or other persons claiming to have had contact of some sort with UFOs.

C.B.

tells her what he has seen. Both are very deeply moved.

Suddenly Mme. X cries: "Your leg!"

And, in fact, Dr. X, who is walking to and fro, talking excitedly, no longer limps, and has completely forgotten his injury. Dumbfounded, he turns up the pyjama trouser-leg: the wound is healed and the swelling has disappeared along with the pain. And they do not return. On the occasion of our first visit, five days later, we, like Thomas, are able to place our hand upon the healed wound and feel the periostose, scarred or cicatrised (cal de l'os); all of it is as insensitive as an ancient wound, whereas the medical certificates testify to the presence of the swelling and the wound right up to the time just before the incident.

14. His Sleep on November 2

Dr. X and his wife discuss the incident for half an hour and then go back to bed. Ten minutes after he has fallen asleep again, Dr. X starts talking in his sleep—something that has never happened to him in his life before. Disturbed, his wife listens for a while and then, finding that what he is saying relates to the phenomenon seen by him, she turns on the light and takes notes. Inter alia, she notes down this statement: "Contact will be re-established by falling down the stairs on November 2nd." At about 7.0 a.m. the doctor stops talking. Mme. X turns out the light and goes to sleep.

She awakens again at about 10.00 a.m. and, seeing that her husband is still sleeping, she gets up without waking him. He sleeps on until 2 o'clock in the afternoon. When at last he emerges from his slumber, Mme. X asks him if he feels all right. "Very well", he replies.

"You should write to Michel and ask him to come and see you," she says. The doctor's reply is such that his wife realises that it is not Aimé Michel of whom he is thinking, but another man named Michel. Puzzled, she explains that he ought to tell Aimé Michel about what he has seen. But he does not know what she is talking about. He remembers nothing. Then his wife shows him his notes and the sketches done by his own hand. He looks at them with alarm, wondering how it can be that he cannot remember something so extraordinary. His wife does not insist further, for she too is alarmed, and she does not tell him about what he has said during his sleep.

In the course of the afternoon, Dr. X has an inexplicable fall, on the living-room stairs. "I had the impression of a hook in my leg", he said later.

He receives a knock on the head from it, and straightaway the full memory of the happenings during the night returns to him.

15. The Triangle

In the days that follow, the doctor has an impression—in which he does not yet want to believe—that all the sequelae of his Algerian War wound—which had remained unchanged for ten years—have completely vanished. The nervous shock and the distress following upon the events of November 2 are however so painful that he feels ill and cannot be sure of their disappearance, which however seems to be a fact. When I visit him on November 8, I find he has lost weight and his features are drawn.

That same day, cramps and pains appear in the



Father . . .

umbilical region. They persist, more or less acute, throughout the following week. On the evening of November 17, he begins to feel an itching and pricking here and there around the navel, and a red cutaneous pigmentation, of striated appearance, develops.

By mid-day on November 18, this pigmentation has assumed its final form, namely the shape of a perfectly geometrical isosceles triangle with a well-defined perimeter, measuring 17 cms. on the base and 14-15 cms. along the sides. At the same time the pains, itching and pricking cease suddenly and entirely. More and more worried about this preposterous phenomenon, the doctor and his wife telephone me. This triangle certainly has no known precedent in the annals of Ufology, but I think of the cases of irradiation reported on several occasions, and I advise him to have a thorough medical examination. This is done, that same day, and at the same time the photographs illustrating this article are taken.

The medical examination is negative: the dermatologist can find no explanation for the phenomenon, which he considers so astonishing that he wants to make a communication about it to the Academy of Medicine. Dr. X, little inclined to such publicity, manages to dissuade him from doing this. Dr. X informs me by telephone of the results of the medical consultation. I do my best to reassure him, and I try my luck at proposing a psychosomatic explanation to him. He had in fact had quite a strange dream during the night of November 13-14, in which a triangular figure played a certain role in association with the object of November 2. I say to him: "No doubt it is your own anxiety that has taken this form and has impressed itself upon that part of your body where, for some reason or other, you have felt certain pains these last few days. These pseudostigmata do sometimes occur, and have been studied." With relief he accepts this explanation in which I, who can be helpful to him in his present state of nervous


fatigue and uncertainty, do not, in my heart, believe in the slightest.

Next day however he telephones me again, and says: "I think we must discard the psychosomatic explanation: the same triangle appeared last night on the stomach of my son. It is exactly like mine and located in just the same place. It doesn't seem to be painful, for the child pays no attention to it."

Let us break off the account of the case at this point, though it is not the end of it. I have said enough for the reader to realise that the divulgation of the full story is unfortunately impossible at present in view of the identity of the witness and the personal nature of the phenomena observed. Had I not been a friend of Dr. X this case would never have been made known. And even though I am his friend, the case can only be divulged in part.

16. The Investigation

Urged by his wife, Dr. X writes to me on November 5. I reply straight away telling him that I am coming to



... and son. Phychosomatic, or not?

see him. At the same time I alerted a Paris physicist who has been assisting me for fifteen years, and arranged to meet him at Dr. X's house on November 8. The doctor accordingly gives us, on the spot, on that day, November 8, the account reproduced above as far as and including paragraph 14. The physicist took the photographs that you see here. In answer to our questions, Dr. X gave the following fuller details:

His impression from the point represented by photograph No. 1 to photograph No. 7 were, successively, first astonishment, then perplexity, and then, at the moment when the object approached him directly, fear. He said: "I had the feeling that, if it did not stop, the object would, at the very least, knock the roof off the house." However, his self-control at that point was still complete.

It was a different state of affairs after the object took up its stationary position. Not only was its gigantic size impressive, but the play of the moving lines in the red portion had a sort of fascination for him. Several times he wanted to shout and call his wife, and to run and get his ciné and photographic cameras, which were loaded. But he did not do it. He did not dare to call out, nor to break off his observation of the object even for an instant, for fear lest something might happen in his absence, and also perhaps because of other reasons that he is not able to explain to himself.

We were able to satisfy ourselves that Dr. X had a precise and detailed recollection of the course of the events, and notably of their sequence in time and their apparent duration. Thus we took down a preliminary account, which I then got him to repeat on two occasions later, in a different fashion, with a two-month interval between them. Since November 8, 1968, we have remained in frequent communication with each other, and I have followed the development of the further phenomena that have occurred during the succeeding months—phenomena of a physiological, psychological, and psychic nature.

In March 1969, having already completed a pretty full dossier on the case, I gave a talk about it before a group of astronomers from the Meudon Observatory, who gave me a number of useful suggestions. I also consulted professional psychologists and biologists in Paris. One of the most eminent of French specialists in hypnosis came from Bordeaux to spend two days with me in Dr. X's town, and got Dr. X to talk three times under deep hypnosis, with pins deeply embedded in the tips of his fingers. These latter experiments are not yet concluded. All statements have been tape-recorded.

Finally, having taken the most enlightened advice, and having respect for Dr. X's desire to remain anonymous, I decided to publish, in France and England, only the physical part of my investigation. Dr. X, my research assistants, and I myself all hope that the publication of this material will encourage students of Ufology to investigate similar cases that may already have occurred, and to send them to the Editor of Flying Saucer Review for publication. We think indeed that great progress could be made by the method of classification and comparison which yielded such valuable results in the beginning of the study of Natural History.

17. Measurements, Evaluations, and Calculations

The attentive reader will have observed that, by a good fortune which is exceptional in Ufology, Dr. X's account permits us to arrive at a pretty exact evaluation as to the size of the object and its movements.

(a) Dimensions

From the ridge of the roof of the first house on the left, to the right-hand extremity of the house with the three small windows, measures 64 metres. The length of the object, exclusive of the horizontal antennae, was thus about 65 metres.

Its thickness, exclusive of the vertical antenna, is estimated by the witness at one-quarter of its length, i.e. about 16 metres.

The spotlight can be measured on the ground on the landmarks given in photograph No. 7: its diameter equals 17 metres.

The lengths of the antennae, vertical as well as horizontal, were, in the opinion of the witness, perceptibly about equal to the thickness of the object.

(b) Distance from Witness to Stationary Object (Photograph No. 7)

From the centre of the spotlight to the terrace of the house is 240 metres. The object was at a height level with the terrace. The distance from the centre of the object to the terrace was thus equal to the product of 240 metres and the cosine of the slope (12°), i.e. 240×0.97 (a more exact estimate would be illusory) = 232 metres. If the object was circular, the nearest edge to the witness was at 232 - 65 = about 200 metres.

Before taking these measurements and making these calculations, I had asked Dr. X to estimate at arm's length, with a marked ruler, the length of the object when it stopped (position in photograph No. 7). He did as I suggested, and showed me, on the ruler, 152 millimetres. I then measured the distance from his eye to the ruler while he looked, and it was 670 millimetres.

Knowing these values and the results of the foregoing calculations, we can proceed now to a first check. Leaving out of consideration the tangent effect, and taking 152 mm. to be the diameter, we can calculate the apparent diameter that Dr. X ought to have seen at arm's length. We get:


$$\frac{d}{67} = \frac{64}{232}$$
, i.e. $d = 184$ millimetres

It is a pretty good approximation, but which nevertheless shows either that the apparent diameter has been underestimated, or that the witness's description contains a slight discrepancy.

It is interesting to make the same calculation for all the positions of the object, the latter's distance being directly known. These are the positions where it has been able to localise the spotlight on the map, i.e. the positions of photographs 3, 4, 5, and 6.

(c) Comparison between Estimated and Calculated Apparent Diameters

On photograph No. 3, both the spotlights are at 1,625 metres from the witness. Let us note in passing



KEY TO CHART. The *mean* speeds being alone known with a sufficient degree of certainty, it is only the horizontal strokes, representing the space traversed by each object and its mean speed during each of the six periods of time, **A** (from 1 to 2), **B** (from 2 to 3), **C** (from 3 to 4), **D** (from 4 to 5), **E** (from 5 to 6), and **F** (from 6 to 7), that must be considered. The extended hypothetical curves only enable us to visualise the successive manoeuvres of each object. Bearing in mind the fact that UFOs can accelerate and slow down instantaneously, we cannot be sure that this continuity of the graph corresponds to any sort of reality. It will be noted that:

- (1) As soon as the witness sees the first spotlight, the two objects accelerate.
- (2) When he sees the two spotlights, another manoeuvre starts, corresponding, more particularly, to a slowing down in speed.
- (3) The two objects then speed up again until they join.
- (4) The acceleration of the combined object continues until its trajectory intersects the perpendicular from the façade of the witness's house.
- (5) At this moment the object finally slows down and approaches. The structure of these variations is as complex and as coherent as the topography (shown on the map) of the movements. It shows a feed-back by what the witness sees on to the behaviour of the objects.

that the map confirms the manoeuvre described: the right-hand object has come nearer and is, as Dr. X says, at the same distance as the one on the left. Now this does not appear at all evident in the landscape, which is deceptive to the eye. The right-hand spotlight seems much further away. However such is not the case. The doctor here gives the object an apparent diameter of 17 millimetres. The calculated apparent diameter would be:

$$\frac{d}{670} = \frac{64}{1625}$$
, thus d = 25 millimetres (instead of 17 mm.)

Here still we end up with an underestimate. Between the estimated diameter and the anticipated diameter, the relationship was 1.21 for photograph No. 7. It is 1.47 for photograph No. 3. On photograph No. 4, the estimated apparent diameter is 22 millimetres. The actual distance being 1,500 metres, we get for the calculated apparent diameter d:

$$\frac{d}{670} = \frac{64}{1500}, \text{ or } d = 28 \text{ (instead of 22)}$$
The relationship is $28 = 1.27$

On photograph No. 5, the distance being 1,425 metres, and the estimated apparent diameter 24 mm., we get:

 $\frac{d}{670} = \frac{64}{1425}$, or d = 30, and a relationship of 1.26: we

find that the underestimation of the apparent dimensions is constant and perceptibly identical since the start of the phenomenon.

This is still true of photograph No. 6, where the actual distance is 875 metres and the estimated apparent diameter is 32 millimetres. Whence we get: $\frac{d}{67} = \frac{64}{975}$

67 8

which gives d 49 mm., or a relationship of $\frac{49}{32} = 1.5$.

These calculations thus show a systematic underestimation between 1.50 and 1.21, the constancy of which is quite remarkable. To grasp the experimental implication of this, let the reader look successively at the same book at distances of 12 metres 10, 12 metres 70, 12 metres 60, 14 metres 70 and 15 metres, and let him estimate the apparent diameter each time. He will find that the variation is imperceptible. This absence of variation shows the coherence of the account insofar as the alleged movements are concerned.

(a) Calculation of Speeds of Object's Evolutions

As we have said, Dr. X is a very gifted musician. I wanted to know whether we could trust his sense of duration (tempo) in order to establish the detailed chronology of the phenomenon and thereby determine by calculations the speeds of the object's evolutions, as we know precisely the distances covered from photograph 3 to photograph 7.

With this aim, I made time-recordings of various mental experiments, the real duration of which could be known. For example, Dr. X being seated in an armchair and not forewarned, I asked him to close his eyes and to imagine the time that had elapsed between the first call from his son up to the moment when, for the first time, he saw the objects from the terrace. Result: 4 minutes 9 seconds, clocked by me with a stopwatch showing tenths of a second.

Then I invited him to do the same experiment again, but this time in reality, performing all the movements and taking all the steps. Result: 4 minutes 17 seconds, or an error of 8 seconds on 257 seconds, i.e. of 3 per cent.

All the experiments like this having given results of the same order, I then clocked several times, in tenths of a second, the time that elapsed from photograph No. 1 to photograph No. 2, and then from photograph No. 2 to photograph No. 3, and so on. I found that from one experiment to the next the variations generally did not exceed a few tenths of a second. Finally I took, for each interval of time, the mean of these measurements, which we can therefore regard as very near to the reality. Here are these measurements:

From photo 1 to photo 2 = 8.9 secs.

We do not know *directly* the position of the objects in photographs 1 and 2 (but it can be estimated, as will be seen below).

On the other hand, we do know it for photographs 3, 4, 5, 6, and 7. On the map, the measurements give the following results (distance covered and mean speed) as in Table I.

		TABLE	_	
Photo-	3 to 4	TABLE		
graphs	3 to 4	4 to 5	5 to 6	6 to 7
right- hand object	287m. + 10	462m. \pm 10 128 m/s	$\begin{array}{c} \text{675m.} \pm \text{10} \\ \text{218 m/s} \end{array}$	712m. ± 10 71 m/s
hand object left- hand object	200m. \pm 10 34 m/s	312m. \pm 10 86 m/s	_	_

From this table the distances and the speeds corresponding to the first images (Nos. 1 and 2) are lacking. But the witness estimates at 16 millimetres the apparent diameter of the images on photograph 2 and at 11 millimetres that of the left-hand object on photograph 1. If, in conformity with what has been observed about his estimates in photographs 3, 4, 5, 6, and 7, we assume a coefficient of underestimation of 1·3, we must accept that the real distances were respectively 2,000 metres in photograph 2 and 2,140 metres in photograph 1, with possible errors that it is wise to accept as fairly wide.

In these circumstances, the map gives a further table (Table 2).

TABLE 2					
Photographs	1 to 2	2 to 3			
right-hand	650m.	700m.			
object	73 m/s	114 m/s			
left-hand	500m.	825m.			
object	56 m/s	135 m/s			

The overall picture of these results is shown in the table of the speeds between the seven successive positions.

(e) Diagram of Movements

Another diagram needs to be set beside this table. This is the diagram of the actual movements of the two objects over the terrain (figure 2).


18. Brief Discussion

Comparison of the table of speeds with the diagram of the actual movements enables us to probe the meaning of a manoeuvre that is incomprehensible over the terrain. This meaning did not become apparent to the investigator (and from the investigator to the witness) until several months after the sighting when, the fine weather having returned, I was able to proceed, on the spot, to make all the necessary triangulations and measurements. Let us go back to the description given by the witness of the apparent movements and positions, and follow them on the diagram.

In (1) the two objects are moving towards the left, 1 right being a little to the right of and behind 1 left. Let us remember that at this moment the witness appears on the terrace.

Between (1) and (2), the two objects execute a primary manoeuvre which brings them into such a position that they are equidistant from the witness and that *each* of them alike is facing him with its lateral antennae.

In (2) the left-hand spotlight becomes visible. We find that another manoeuvre starts at once: the two



Actual movements of the two objects across the ground

objects begin to move in a parallel fashion towards the left.

In (2) the left-hand spotlight becomes visible. We find that another manoeuvre starts at once: the two objects begin to move in a parallel fashion towards the left.

But we now find in addition that in this parallel progress the left-hand object accelerates sharply, not only in order to follow the right-hand object which too is accelerating, but in such a way that the two objects are always equidistant from the witness.

We note moreover that from this moment onwards and right up to the fusion at (5), the right-hand object traverses a rectilinear course (which is not discernible on the terrain and even less so from the witness's terrace). Indiscernible too is the parallel movement of the two objects from (2) to (3).

At (3) the two spotlights become visible to the witness. The left-hand object at once changes course and converges with the trajectory of the right-hand object. This change of course is not seen by the witness, who notices nothing. And yet the course taken at (3) will be held until the point of fusion at (5).

At (4) the witness notes a pronounced drawing together of the two objects, as well as the manoeuvre of the spotlights which draw closer together until they

combine. This manoeuvre is accompanied by an acceleration of the right-hand object which will remain constant until (6), beyond the point of unification. This too could not become apparent except in the calculations. The right-hand object, the trajectory of which was already serving as a reference for the movement of the two objects taken together, thus serves likewise as a reference for speed, since at (5) the two objects, fused into one, continue with the same acceleration as the right-hand object had done.

At (5) the single object changes course, but still continues to accelerate as far as (6).

At (6) the object cuts the perpendicular drawn from the façade of the house at the point where the witness is. At once a rapid deceleration is observed while at the same time there is a final change of course, the object now heading straight for the witness, slowing down as it does so.

19. Conclusion

All these facts present a picture of highly complex mutual coherence, no element of which was detectable by the witness since the coherence only appeared through the calculations and despite the errors in estimation made by the witness himself. As a matter of fact these errors are of small account compared with the admirable self-awareness and precision with which Dr. X noted all his impressions there and then and which should serve as a model to others. Twenty cases as well observed as this one would teach us more about the UFOs than the thousands of cases "studied" by "Commissions" and "Committees".

This coherence is disposed around a certain number of facts.

Indeed it all happens as though, from the moment that Dr. X appeared on his terrace, the entire manoeuvre was organised with reference to him and his house. In fact:

- (i) From (2) onwards, the two objects never stop facing him regardless of their marked angular movement.
 - (ii) They maintain their equidistance from him.
- (iii) They accelerate until the moment when the combined object is precisely opposite his house. From that moment onwards, the object heads straight for him.
- (iv) Also very interesting is the behaviour of the objects as regards the view the witness has of the spotlights: as soon as he sees one spotlight, the right-hand object assumes a rectilinear course towards the point where the fusion will take place, while the left-hand object assumes a course parallel to that of the other; so soon as the witness sees the two spotlights, the manoeuvre of drawing closer begins which is to end 9.4 seconds later in the fusion.

Unfortunately this analysis teaches us nothing about the behaviour of the two objects during the time that elapsed between the first cry of the child (and perhaps before that) and the appearance of the doctor on the terrace. Now, this time interval is long: we have seen that it is over four minutes. Whence comes the triangle on the child's abdomen?

Finally, we would mention that, at the moment when this report is being written (May 30, 1969) Dr. X has, for six months past, been totally healed of the sequelae

of his Algerian War wound. Since the night of November 1-November 2, 1968, no trace of any kind whatever remains of this wound, the effects of which had been felt, and without any change, from May 13, 1958, right up to November 2, 1968.

Perhaps it would be as well to mention, by way of conclusion, the following Reuter message which was published by the French newspapers on Wednesday, December 18, 1968 (quoted here from France Soir of December 19):

"Lima, Peru. Wednesday 18. The 'rays' from a flying saucer have cured a Peruvian Customs official of his myopia and rheumatism. The Customs Official stated that he had seen the saucer last Wednesday from the terrace of his house and that 'the violet rays that it emitted' had shone on his face. Since then, the myopia that obliged him to wear thick glasses has disappeared, as well as his rheumatism."

The Peruvian engineer Ermanno Maniero, APRO correspondent in Lima, very kindly sent me, on January 14 of this year, the following further details on this case which is so strangely similar to the case of Dr. X:

"The incident occurred on December 9, 1968, at 3 o'clock in the morning. The object, which was emitting a light that fluctuated between dark red and violet, was at a distance of 2 or 3 kilometres from the witness.

"The witness remained 'in ecstasy' for two or three minutes, due to the effects of a paralysing fear."

[Translated from the French by Gordon Creighton.]

Copyright Aimé Michel and FLYING SAUCER REVIEW. No part of this article, or photographs, to be reproduced without express permission of the author and the Editor of FLYING SAUCER REVIEW.

NEWLY PUBLISHED . . .

The British edition of

UNINVITED VISITORS

by Ivan T. Sanderson

A biologist investigates the UFO mystery and leads the reader on a remarkable intellectual journey. Supported by his own research and documented reports, he delves deep into the heart of problems that most other scientists shy away from, and most laymen have never before been exposed to.

Ivan Sanderson's theories may shock, or even anger readers, but no thinking person can ignore them.

What could UFOs be? Where do they come from? When did they start coming and why? Read Ivan Sanderson's brilliant investigation.

240 pages 30s. net.



NEVILLE SPEARMAN Ltd., 112 WHITFIELD STREET, LONDON W1P 6DP

SOME USES OF HYPNOSIS IN UFO RESEARCH

R. Leo Sprinkle, Ph.D.

Dr. Sprinkle, Counsellor and Associate Professor of Psychology at the University of Wyoming, has had a long association with this field, and is consultant to both NICAP and APRO.

SINCE 1947 there have been increased numbers of people who report the observation of unidentified flying objects (UFOs). These claims from thousands of persons in many countries have been met with mixed reactions from other persons. Various governmental, military, and civilian agencies have been formed to investigate, analyse, and disseminate information about UFO reports.

Brief Review of UFO Literature

The serious literature of UFO investigation is large and continuing to increase (Sable, 1967). Bulletins are issued which describe and evaluate the reports which are submitted. Three well-known organisations which issue bulletins six times a year are the Aerial Phenomena Research Organisation (APRO, 1969), Flying Saucer Review (FSR, 1969), and National Investigations Committee on Aerial Phenomena (NICAP, 1969). (See References.) In recent years, more scientists and professional persons have expressed interest in the physical (Vallée and Vallée, 1966), biological (Sanderson, 1967), psycho-social (Jung, 1959), and spiritual (Downing, 1968) implications of UFO phenomena. Recently, a UFO symposium was conducted by the Committee on Science and Astronautics, U.S. House of Representatives (Roush, 1968). Many persons are hopeful that the report of the Condon Committee (Condon and Gillmor, 1969), will settle the issue; however, the issue is so complex and controversial (Saunders and Harkins, 1968) that it is unlikely that one agency or one report can deal with all of the questions about UFO phenomena. Schwarz (1968) conducted psychiatric evaluations of persons who claimed UFO observations in four separate sightings; he concluded (p. 979): "... in none of these examples was there any clinical evidence for current or past emotional illness or excessive phantasising.'

Salisbury (1967) has discussed the five basic hypotheses which might account for UFO phenomena: extraterrestrial spaceships or other machines, conventional phenomena misinterpreted, psychological phenomena, hoaxes or lies, secret weapons. This investigator believes that the psychological implications are an important factor in UFO sightings (Sprinkle, 1967);

however, the reader should be aware of the personal bias of this investigator: I believe that there is sufficient evidence to accept the hypothesis that the earth is being surveyed by spacecraft which are controlled by intelligent beings from an alien civilisations or civilisations; apparently, the purposes and powers of these persons are not known, but I believe that investigations should be continued in the hopes of gaining more information and knowledge about UFO occupants.

Some Uses of Hypnosis

In accepting the "spacecraft hypothesis", this investigator takes the position that all psychological and parapsychological phenomena associated with UFO reports should be studied for the purpose of gaining more understanding of these complex events. One aspect of this approach is the question of using hypnotic techniques to gain further information from UFO observers and other interested persons.

Of course, there are possible disadvantages in using hypnotic techniques, including the possibility that a hypnotised subject may distort or fabricate information. Also, there is the difficulty which arises from the general misconceptions about hypnosis, which may increase the doubts and fears of persons who are not familiar with the nature and uses of hypnosis (Cheek and LeCron, 1968)

Despite the possible disadvantages, there are possible advantages in using hypnotic procedures in studying UFO phenomena. The primary advantage seems to be the facilitation of physiological and psychological relaxation, and the possible release of subconscious information—including recall of apparent experiences of UFO observation.

A list of some uses of hypnosis in UFO research might include the following:

- Assisting UFO observers to relax and to reduce anxiety which may be associated with their UFO observations.
- Interviewing UFO observers, eliciting ideomotor responses and using other techniques for gaining more information about their UFO sightings.
- 3. Checking the reliability of previous informatio from observers about their UFO sightings.